

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	((714/48 or 714/699 or 714/724 or 714/799).ccls.) and ((fault or error) with stor\$3 adj (latch or cell))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:31
L2	2452	(714/48 or 714/699 or 714/724 or 714/799).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L3	430	((714/48 or 714/699 or 714/724 or 714/799).ccls.) and ((storage or latch or (flip adj flop)) with (error or fault))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L4	359	((((714/48 or 714/699 or 714/724 or 714/799).ccls.) and ((storage or latch or (flip adj flop)) with (error or fault))) and ((error or fault) with detect\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L5	317	(((((714/48 or 714/699 or 714/724 or 714/799).ccls.) and ((storage or latch or (flip adj flop)) with (error or fault))) and ((error or fault) with detect\$3)) and @ad<"20011109"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L6	780	714/48.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L7	209	714/48.ccls. and (((flip adj flop) or latch or memory or storage) with ((error or fault) with detect\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L8	190	(714/48.ccls. and (((flip adj flop) or latch or memory or storage) with ((error or fault) with detect\$3))) and @ad<"20011109"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L9	1	714/48.ccls. and (fault adj storage)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L10	0	((714/48 or 714/699 or 714/724 or 714/799).ccls.) and ((fault or error) adj storage adj (latch or cell))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L11	0	((714/48 or 714/699 or 714/724 or 714/799).ccls.) and ((fault or error) adj stor\$3 adj (latch or cell))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L12	7	((714/48 or 714/699 or 714/724 or 714/799).ccls.) and ((fault or error) with stor\$3 adj (latch or cell))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L13	1	"714"/\$ and (error adj data adj stor\$3 adj unit)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L14	31824	kim.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37

L15	12	kim-young.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:41
L16	8	kim-young-wan.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L17	1	10/037,909	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L18	1	"5596716".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L19	3724	scan	IBM_TDB	OR	ON	2005/03/11 07:37
L20	0	(scan and (flip adj flop)) and multiplex	IBM_TDB	OR	ON	2005/03/11 07:37
L21	68	scan and (flip adj flop)	IBM_TDB	OR	ON	2005/03/11 07:37
L22	15872	scan and (flip adj flop)	US-PGPUB; USPAT	OR	ON	2005/03/11 07:37
L23	7225	(scan and (flip adj flop)) and (multiplex\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L24	1341	((scan and (flip adj flop)) and (multiplex\$3)) and (d adj type)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L25	908	((((scan and (flip adj flop)) and (multiplex\$3)) and (d adj type)) and (error or fault))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L26	814	(((((scan and (flip adj flop)) and (multiplex\$3)) and (d adj type)) and (error or fault)) and @ad<"20011109"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L27	83	(((((scan and (flip adj flop)) and (multiplex\$3)) and (d adj type)) and (error or fault)) and @ad<"20011109") and ((fault or error) with storage)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L28	35	(scan with chain) with (type with (flip adj flop))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:37
L29	6	("5448725" or "5596716" or "6016564" or "5987585" or "5444859" or "5729553").pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 08:38
L30	0	l15 and (not L15)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 07:41
L32	8962	(error adj detect\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 08:39

L33	4197	I32 and (error with stor\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 08:39
L34	3827	I33 and (circuit or apparatus)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 08:40
L35	49	I34 and (serial with (scan or chain))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/11 08:41